
# TECH-HINT





## NWA tube filter kit

MACHINE TYPE: 121 – 121A REFERENCE CODE: AF.017D

### Description

The kit allows machine to run properly with hard material filters such as non-wrapped acetate tube filters guaranteeing high quality in the final cut of the cigarettes.

The NWA filter rods require hard metal blades rotating at high speed and self-cleaning for optimal cut quality. The kit is mainly composed of tungsten carbide cutting blades and relevant motor completed with variable-frequency drive.

The kit also features a motorized scraper, to keep the blade continuously clean avoiding any dirt build up, and a cooling system (based on air blows) to keep the blade temperature low.

As an option the machine can be equipped with tube filter depth check (AF.042A - AF.042B).

### Advantages

• High quality in the final cut of the cigarettes with NWA tube filters

### NWA tube filter kit

### Assembly time

Two (2) working days for installation by one (1) mechanical and one (1) electrical technicians.

### Validity

The kit can be retrofitted to any 121-121A machine from batch no. 12007. A feasibility study is required for previous batches.


### How to order

Machine S/N and format dimensions are required to complete the Production Order. For further information please contact <u>eNews@gidi.it</u>.



# TECH-HINT





## Recess filter kit

MACHINE TYPE: 121 – 121A REFERENCE CODE: AF.017B

### Description

The kit allows machine to run properly with recess filter rods guaranteeing high quality in the final cut of the cigarettes.

The kit mainly features:

- a variable frequency-drive to properly adjust the blade speed (normally increased) and to enhance cutting capability
- a scraper to keep the blade continuously clean avoiding any dirtiness on the blade

For the cigarette cutting either tungsten carbide blades or standard steel blades can be used depending on the filter type. The kit includes a motorized grinding wheel unit necessary to keep sharped the standard steel blades.

As an option the machine can be equipped with recess filter depth check (AF.042).

### Advantages

• High cigarette final cut quality with recessed filter

### Recess filter kit

### Assembly time

One (1) working day for installation by one (1) mechanical and one (1) electrical technicians.

### Validity

The kit can be retrofitted to any 121-121A machine from batch no. 11458.

### How to order

Machine S/N and format dimensions are required to complete the Production Order. For further information please contact <u>eNews@gidi.it</u>.

